
Flask Gravatar

Release 0.5.0

Jan 05, 2018

Contents

1	Contents	3
1.1	Installation	3
1.2	Usage	3
2	Parameters	5
2.1	API	5
2.2	Changes	6
2.3	Contributing	6
2.4	License	7
3	Authors	9

This is small and simple integration [gravatar](#) into [flask](#).

- *Installation*
- *Usage*

1.1 Installation

Flask-Gravatar is on PyPI so all you need is:

```
$ pip install Flask-Gravatar
```

The development version can be downloaded from [its page at GitHub](#).

```
$ git clone https://github.com/zzzsochi/flask-gravatar.git
$ cd flask-gravatar
$ python setup.py develop
$ ./run-tests.sh
```

1.2 Usage

Initialize with flask application and default parameters:

```
gravatar = Gravatar(app,
    size=100,
    rating='g',
    default='retro',
    force_default=False,
    force_lower=False,
```

```
use_ssl=False,  
base_url=None)
```

Alternatively, the default parameters can be read from the application config values in *GRAVATAR_SIZE*, *GRAVATAR_RATING*, *GRAVATAR_DEFAULT*, *GRAVATAR_FORCE_DEFAULT*, *GRAVATAR_FORCE_LOWER*, *GRAVATAR_USE_SSL*, and *GRAVATAR_BASE_URL*.

Then in your template:

```
{{ 'zzz.sochi@gmail.com' | gravatar }}
```

Bigger and adult:

```
{{ 'zzz.sochi@gmail.com' | gravatar(size=200, rating='x') }}
```


All parameters are described in [gravatar documentation](#).

2.1 API

```
class flask_gravatar.Gravatar (app, size=100, rating='g', default='retro', force_default=False,  
                               force_lower=False)
```

Simple object for create gravatar link.

Parameters

- **app** (*flask.Flask*) – Your Flask app instance
- **size** (*str*) – Default size for avatar
- **rating** (*str*) – Default rating
- **default** (*str*) – Default type for unregistred emails
- **force_default** (*bool*) – Build only default avatars
- **force_lower** (*bool*) – Make email.lower() before build link

```
__call__ (email, **kw)
```

Build gravatar link.

Parameters

- **email** – Email for create link
- **kw** – Reload defaults

Default parameters. May change in runtime.

size

rating

default

`force_default`

`force_lower`

2.2 Changes

Version 0.5.0 (released 2018-01-05)

- Try to read configuration values from application config if a context is available otherwise return an instance config or extension default. (pull #23)
- Package refresh - testing Python 3.6, fixed links, and much more. (pull #22)

Version 0.4.2 (released 2015-03-23)

- Set `use_ssl` default value according to request protocol. (pull #14)
- Improved documentation typo fixes. (pull #13 #18)
- Migration from `flaskext.gravatar` to `flask_gravatar`. (pull #11 #12)

Version 0.4.1 (released 2013-11-07)

- Added Python 3 support. (pull #9)

Version 0.4.0 (released 2013-08-09)

- Added custom url support. (pull #7)
- Use `setuptools`. (pull #6)

Version 0.3.0 (released 2013-03-23)

- Enabled registering multiple times in one process.

Version 0.2.4 (released 2012-11-28)

- Added `init_app` method.
- Fixed various bugs.

Version 0.2.3 (released 2011-11-29)

- Added HTTPS support.

Version 0.2.2 (released 2011-01-10)

- First public release.
- It works.

2.3 Contributing

Bug reports, feature requests, and other contributions are welcome. If you find a demonstrable problem that is caused by the code of this library, please:

1. Search for [already reported problems](#).
2. Check if the issue has been fixed or is still reproducible on the latest *master* branch.
3. Create an issue with a **test case**.

If you create a feature branch, you can run the tests to ensure everything is operating correctly:

```
$ ./run-tests.sh
```

2.4 License

Flask-Gravatar is free software; you can redistribute it and/or modify it under the terms of the Revised BSD License quoted below.

Copyright (C) 2011, 2012, 2013, 2014, 2015 Alexander Zelenyak. Copyright (C) 2011 Max Countryman. Copyright (C) 2012 Honza Javorek. Copyright (C) 2012 Klinkin. Copyright (C) 2013 Donald Stufft. Copyright (C) 2013 Julien Kauffmann. Copyright (C) 2013 Li Chuangbo. Copyright (C) 2013 Miguel Grinberg. Copyright (C) 2014 Andrew Grigorev. Copyright (C) 2014 Nauman Ahmad. Copyright (C) 2014 Paul Bonser. Copyright (C) 2014 Tom Powell. Copyright (C) 2015 CERN.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS “AS IS” AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

In applying this license, CERN does not waive the privileges and immunities granted to it by virtue of its status as an Intergovernmental Organization or submit itself to any jurisdiction.

CHAPTER 3

Authors

- Alexander Zelenyak <zzz.sochi@gmail.com>
- Andrew Grigorev <andrew@ei-grad.ru>
- Donald Stufft <donaald@stufft.io>
- Honza Javorek <honza@javorek.net>
- Jiri Kuncar <jiri.kuncar@gmail.com>
- Julien Kauffmann <julien.kauffmann@freelan.org>
- Klinkin <klinkin@gmail.com>
- Li Chuangbo <im@chuangbo.li>
- Max Countryman <max.countryman@gmail.com>
- Miguel Grinberg <miguelgrinberg50@gmail.com>
- Nauman Ahmad <nauman-ahmad@outlook.com>
- Paul Bonser <pib@paulbonser.com>
- Tom Powell <tom.powell@siafutg.com>

Symbols

`__call__()` (flask_gravatar.flask_gravatar.Gravatar method), 5

D

`default` (flask_gravatar.flask_gravatar.Gravatar attribute), 5

F

`flask_gravatar.Gravatar` (class in flask_gravatar), 5

`force_default` (flask_gravatar.flask_gravatar.Gravatar attribute), 5

`force_lower` (flask_gravatar.flask_gravatar.Gravatar attribute), 6

R

`rating` (flask_gravatar.flask_gravatar.Gravatar attribute), 5

S

`size` (flask_gravatar.flask_gravatar.Gravatar attribute), 5